




## SPEK ANCHOR TYPE 95





# SPECIFICATIONS / SPEK ANCHOR TYPE 95

Weight: kg	Dimensions: mm				
	A	B	C	D	F
100	672	373	112	515	250
150	770	428	128	590	290
180	846	470	140	640	300
240	900	500	150	690	358
300	990	550	166	760	398
360	1065	600	180	828	411
420	1080	600	180	828	431
500	1170	650	196	900	450
570	1170	650	196	900	475
660	1260	700	210	962	486
780	1355	750	225	1032	519
900	1440	800	240	1100	547
1020	1530	850	252	1170	573
1140	1620	900	268	1240	591
1290	1710	900	268	1240	620
1440	1710	950	279	1300	640
1590	1710	950	279	1300	671
1740	1800	1000	300	1378	689
1920	1850	1050	312	1454	704
2100	1890	1050	312	1454	717
2280	2010	1050	312	1454	736
2460	2010	1100	324	1514	764
2640	2070	1150	352	1584	794
2850	2070	1150	352	1584	804
3060	2160	1200	360	1650	820
3300	2155	1200	360	1650	834
3540	2350	1200	360	1650	834
3780	2430	1350	393	1850	880
4050	2430	1350	393	1850	917
4320	2520	1400	413	1926	917
4590	2520	1400	413	1926	951
4890	2520	1400	413	1926	954
5250	2610	1450	414	2000	964
5610	2610	1450	414	2000	981
6000	2700	1500	446	2060	1006
6450	2700	1500	446	2060	1028
6900	2790	1550	456	2138	1034
7350	2790	1550	456	2138	1062
7800	2920	1550	456	2138	1091
8300	3060	1700	510	2332	1126
8700	3060	1700	510	2332	1156
9300	3060	1700	510	2332	1169
9900	3160	1700	510	2332	1188
10500	3190	1770	531	2440	1188

Dimensions for the higher valued weights available by request: [order@umsteam.com](mailto:order@umsteam.com)



## SPEK ANCHOR TYPE M



Weight: kg	Dimensions: mm					
	A	B	C	D	E	H
80	339	468	108	611	336	222
105	371	512	120	669	336	242
135	371	512	149	669	368	254
240	445	613	182	800	440	304
300	527	727	168	949	522	344
360	527	727	190	949	522	358
420	590	813	188	1062	584	385
480	590	813	211	1062	584	395
570	652	900	208	1175	647	428
660	653	900	208	1175	647	428
780	725	1000	231	1305	718	473
900	725	1000	264	1215	718	485
1020	793	1093	252	1428	785	518
1140	793	1093	277	1428	785	530
1290	858	1183	273	1544	850	561
1440	858	1183	299	1544	850	573
1590	920	1268	293	1655	911	604
1740	920	1268	315	1655	911	611
1920	980	1350	312	1761	970	640
2100	980	1350	337	1761	970	650
2280	1038	1430	331	1866	1027	678
2460	1038	1430	355	1866	1027	688
2640	1090	1500	347	1959	1079	712
2850	1190	1500	380	1950	1079	722
3060	1144	1578	365	2058	1133	748
3300	1144	1578	387	2058	1133	760
3540	1202	1656	383	2159	1189	785
3780	1202	1656	405	2159	1189	797
4050	1257	1732	400	2258	1244	821
4320	1257	1732	422	2258	1244	831
4590	1257	1732	444	2258	1244	841
4890	1338	1846	426	2405	1325	874
5250	1338	1846	450	2405	1325	888
5610	1432	1974	431	2405	1418	936
6000	1432	1974	457	2577	1418	936
6450	1432	1974	483	2577	1418	950
6900	1533	2112	462	2757	1518	1001
7350	1533	2112	488	2757	1518	1001
7800	1533	2112	514	2757	1518	1015
8300	1621	2234	489	2916	1605	1059
8700	1621	2234	517	2916	1605	1059
9300	1621	2234	545	2916	1605	1074
9900	1726	2380	520	3015	1709	1128
10500	1726	2380	550	3105	1709	1128

Dimensions for the higher valued weights available by request: [order@umsteam.com](mailto:order@umsteam.com)

## SPEK ANCHOR TYPE SR



Weight: kg	Dimensions: mm			
	A	B	B1	G
210	900	500	340	690
240	900	550	390	760
300	1080	600	412	828
420	1080	600	412	828
450	1080	600	412	828
480	1170	650	442	900
570	1170	650	442	900
610	1260	700	472	962
660	1260	700	472	962
750	1350	750	508	1032
780	1350	750	519	1032
900	1440	800	547	1100
980	1440	800	547	1100
1020	1530	850	573	1170
1040	1620	900	591	1240
1100	1620	900	620	1240
1200	1710	950	640	1300
1300	1710	950	640	1300
1400	1710	950	671	1300
1500	1710	950	671	1300
1650	1800	1000	669	1378
1800	1890	1050	704	1454
1920	1890	1050	717	1454
2100	1890	1050	736	1454
2190	1890	1050	736	1454
2280	1980	1100	764	1454
2460	2070	1150	794	1584
2610	2070	1150	804	1584
2850	2160	1200	812	1650
3300	2160	1200	834	1650
3540	2160	1200	834	1650
3780	2430	1350	880	1850
4050	2430	1350	914	1850
4320	2520	1400	917	1926
4590	2520	1400	931	1926
4890	2520	1400	954	1926
5250	2610	1450	964	2000
5610	2610	1450	981	2000
5800	2700	1500	1006	2060
6000	2700	1500	1006	2060
6450	2700	1500	1023	2060
6900	2790	1550	1034	2138
7350	2790	1550	1062	2138
7800	2790	1550	1091	2138
8000	2790	1550	1091	2138
8300	3060	1700	1125	2332
8700	3060	1700	1166	2332
9300	3060	1700	1188	2332
9900	3060	1700	1188	2332
10500	3186	1770	1197	2440

Dimensions for the higher valued weights available by request: [order@umsteam.com](mailto:order@umsteam.com)